

THE DIATOP SUGIHARA GUIDE BAR

HARD NOSE BAR : HARD TIP



STANDARD

LIGHT WEIGHT

**Professional quality hard nose solid steel bar with Stellite Tip.
Ground and polished finish.**

REPLACEABLE SPROCKET NOSE BAR : STAR TIP



STANDERD

LIGHT WEIGHT

**Professional quality solid steel sprocket nose bar.
Ground and polished finish.
Replaceable sprocket nose assembly.**

STIHL

CHAIN SAW MODEL							Guide Bar Part Number					
	CM	Inch	Gauge	Pitch	DL	Tip Feature	Hard Tip		Star Tip		Tough Tip	
							Standard	Light	Standard	Light	Standard	Light
07S,08,08S,050 051,075,076 084,088,070,09 MS880	53	21	.063"	.404"	68E	43	SG1A-3E53-A		SG1T-3S53-A			
	63	25	.063"	.404"	80E	43	SG1A-3E63-A		SG1T-3S63-A			
	75	30	.063"	.404"	92E	43	SG1A-3E75-A		SG1T-3S75-A			
	83	33	.063"	.404"	100E	43	SG1A-3E83-A		SG1T-3S83-A			
	90	36	.063"	.404"	104E	43	SG1A-3E90-A		SG1T-3S90-A			

ZENOAH

CHAIN SAW MODEL							Guide Bar Part Number					
	CM	Inch	Gauge	Pitch	DL	Tip Feature	Hard Tip		Star Tip		Tough Tip	
							Standard	Light	Standard	Light	Standard	Light
G2500T,2550T G3100T G310,3200	25	10	.050"	1/4"	60E	CV R10		UL6C-0Z25-A				EM1M-0V25-A
	30	12	.050"	1/4"	68E	CV R10	UL6A-0Z30-A	UL6C-0Z30-A			BL1L-0G30-A	BL1M-0G30-A
	30	12	.050"	1/4"	68E	CV R10	BM2A-0Z30-A	BM2C-0Z30-A				
	30	12	.050"	1/4"	68E	CV R12	BM2A-0Y30-A	BM2C-0Y30-A				
	30	12	.050"	1/4"	68E	Can R15	BM2A-0R30-A	BM2C-0R30-A				
	30	12	.050"	3/8"LP	53E						BL1L-0L30-A	BL1M-0L30-A
	35	12	.050"	3/8"LP	58E						BL1L-0L35-A	BL1M-0L35-A
G345,375,380	35	14	.050"	1/4"	76E	CV R10	BM2A-0Z35-A	BM2C-0Z35-A				
	41	16	.050"	1/4"	86E	CV R10	BM2A-0Z41-A	BM2C-0Z41-A				
	35	14	.050"	1/4"	76E	CV R12	BM2A-0Y35-A	BM2C-0Y35-A				
	41	16	.050"	1/4"	86E	CV R12	BM2A-0Y41-A	BM2C-0Y41-A				
	35	14	.050"	1/4"	76E	Can R15	BM2A-0R35-A	BM2C-0R35-A				
	41	16	.050"	1/4"	86E	Can R15	BM2A-0R41-A	BM2C-0R41-A				
	35	14	.050"	1/4"	76E	R18	BL1A-0T35-A	BL1C-0T35-A				
	41	16	.050"	1/4"	86E	R18	BL1A-0T41-A	BL1C-0T41-A				
	35	14	.050"	1/4"	76E	R20	BL1A-0A35-A	BL1C-0A35-A			BL1L-0G35-A	BL1M-0G35-A
	40	16	.050"	1/4"	84E	R20	BL1A-0A40-A	BL1C-0A40-A			BL1L-0G40-A	BL1M-0G40-A

ZENOAH

CHAIN SAW MODEL	Guide Bar Part Number											
	CM	Inch	Gauge	Pitch	DL	Tip Feature	Hard Tip		Star Tip		Tough Tip	
							Standard	Light	Standard	Light	Standard	Light
G345,375,380	35	14	.050"	3/8"LP	53E	R24.5	BL1A-0B35-A	BL1C-0B35-A			BL1L-0L35-A	BL1M-0L35-A
	38	16	.050"	3/8"LP	56E						BL1L-0L38-A	BL1M-0L38-A
	39	16	.050"	3/8"LP	57E						BL1L-0L39-A	BL1M-0L39-A
	40	16	.050"	3/8"LP	58E	R24.5	BL1A-0B40-A	BL1C-0B40-A			BL1L-0L40-A	BL1M-0L40-A
G345,375,380 G415,4200	35	14	.050"	.325"	60E	Small SP					BM2L-0H35-A	BM2M-0H35-A
	40	16	.050"	.325"	66E	Small SP					BM2L-0H40-A	BM2M-0H40-A
	45	18	.050"	.325"	72E	Small SP					BM2L-0H45-A	BM2M-0H45-A
	35	14	.058"	.325"	60E	Small SP					BM2L-8H35-A	BM2M-8H35-A
	37	15	.058"	.325"	64E	R24.5	BM3A-8B37-A	BM3C-8B37-A				BM2M-8H37-A
	40	16	.058"	.325"	66E	R24.5	BM3A-8B40-A	BM3C-8B40-A	BM3T-8J40-A	BM3U-8J40-A	BM2L-8J40-A	BM2M-8J40-A
	40	16	.058"	.325"	66E	Small SP						BM2M-8H40-A
	42	17	.058"	.325"	68E	R27	BM3A-8C42-A	BM3C-8C42-A	BM3T-8J42-A	BM3U-8J42-A	BM2L-8J42-A	BM2M-8J42-A
	42	17	.058"	.325"	68E	Small SP						BM2M-8H42-A
	45	18	.058"	.325"	72E	R27	BX3A-8C45-A	BX3C-8C45-A	BX3T-8J45-A	BX3U-8J45-A	BM2L-8J45-A	BM2M-8J45-A
	45	18	.058"	.325"	72E	Small SP						BM2M-8H45-A
	G451,500 G4500,G5000	40	16	.058"	.325"	66E	R27	BC3A-8C40-A	BC3C-8C40-A	BC3T-8J40-A	BC3U-8J40-A	BM2L-8J40-A
45		18	.058"	.325"	72E	R27	BC3A-8C45-A	BC3C-8C45-A	BC3T-8J45-A	BC3U-8J45-A	BM2L-8J45-A	BM2M-8J45-A
47		19	.058"	.325"	76E	R27	BC3A-8C47-A	BC3C-8C47-A	BC3T-8J47-A	BC3U-8J47-A	BM2L-8J47-A	BM2M-8J47-A
50		20	.058"	.325"	80E	R27	BC3A-8C50-A	BC3C-8C50-A	BC3T-8J50-A	BC3U-8J50-A	BM2L-8J50-A	BM2M-8J50-A
55		22	.058"	.325"	84E	R27	BC3A-8C55-A	BC3C-8C55-A	BC3T-8J55-A	BC3U-8J55-A		
60		24	.058"	.325"	88E	R27	BC3A-8C60-A	BC3C-8C60-A	BC3T-8J60-A	BC3U-8J60-A		
G621	40	16	.058"	3/8"	60E	R29.5	XT2A-8C40-A	XT2C-8C40-A	XT2T-8Q40-A	XT2U-8Q40-A	XT2L-8Q40-A	XT2M-8Q40-A
	45	18	.058"	3/8"	66E	R29.5	XT2A-8C45-A	XT2C-8C45-A	XT2T-8Q45-A	XT2U-8Q45-A	XT2L-8Q45-A	XT2M-8Q45-A
	50	20	.058"	3/8"	70E	R29.5	XT2A-8C50-A	XT2C-8C50-A	XT2T-8Q50-A	XT2U-8Q50-A	XT2L-8Q50-A	XT2M-8Q50-A
	51	20	.058"	3/8"	72E	R29.5	XT2A-8C51-A	XT2C-8C51-A	XT2T-8Q51-A	XT2U-8Q51-A		
	61	24	.058"	3/8"	84E	R29.5	XT2A-8C61-A	XT2C-8C61-A	XT2T-8Q61-A	XT2U-8Q61-A		

HUSQVARNA

CHAIN SAW MODEL	Guide Bar Part Number											
	CM	Inch	Gauge	Pitch	DL	Tip Feature	Hard Tip		Star Tip		Tough Tip	
							Standard	Light	Standard	Light	Standard	Light
333,335,336	35	14	.050"	1/4"	76E	CV R10	BM2A-0Z35-A	BM2C-0Z35-A				
	41	16	.050"	1/4"	86E	CV R10	BM2A-0Z41-A	BM2C-0Z41-A				
	35	14	.050"	1/4"	76E	CV R12	BM2A-0Y35-A	BM2C-0Y35-A				
	41	16	.050"	1/4"	86E	CV R12	BM2A-0Y41-A	BM2C-0Y41-A				
	35	14	.050"	1/4"	76E	Can R15	BM2A-0R35-A	BM2C-0R35-A			VH2L-0G35-A	VH2M-0G35-A
	41	16	.050"	1/4"	86E	Can R15	BM2A-0R41-A	BM2C-0R41-A				
	35	14	.050"	3/8"LP	53E						VH2L-0L35-A	VH2M-0L35-A
	40	16	.050"	3/8"LP	58E						VH2L-0L40-A	VH2M-0L40-A
140,234,240S 240SE,340S 340SG,444 440,P44,154 133SE,133SG R50,242,246 248,254,262 346,357,359 362	37	15	.058"	.325"	64E	R24.5	BM3A-8B37-A	BM3C-8B37-A	BM3T-8J37-A	BM3U-8J37-A	BM2L-0H37-A	BM2M-0H37-A
	40	16	.058"	.325"	66E	R27	BM3A-8C40-A	BM3C-8C40-A	BM3T-8J40-A	BM3U-8J40-A	BM2L-8J40-A	BM2M-8J40-A
	42	16	.058"	.325"	68E	R27	BM3A-8C42-A	BM3C-8C42-A	BM3T-8J42-A	BM3U-8J42-A	BM2L-8J42-A	BM2M-8J42-A
	45	18	.058"	.325"	72E	R27	BC3A-8C45-A	BC3C-8C45-A	BC3T-8J45-A	BC3U-8J45-A	BM2L-8J45-A	BM2M-8J45-A
	47	19	.058"	.325"	76E	R27	BC3A-8C47-A	BC3C-8C47-A	BC3T-8J47-A	BC3U-8J47-A	BM2L-8J47-A	BM2M-8J47-A
	50	20	.058"	.325"	80E	R27	BC3A-8C50-A	BC3C-8C50-A	BC3T-8J50-A	BC3U-8J50-A	BM2L-8J50-A	BM2M-8J50-A
	55	22	.058"	.325"	84E	R27	BC3A-8C55-A	BC3C-8C55-A	BC3T-8J55-A	BC3U-8J55-A		
	60	24	.058"	.325"	88E	R27	BC3A-8C60-A	BC3C-8C60-A	BC3T-8J60-A	BC3U-8J60-A		
	40	16	.058"	3/8"	60E	R28.5	VH2A-8C40-A	VH2C-8C40-A	VH2T-8Q40-A	VH2U-8Q40-A	VH2L-8Q40-A	VH2M-8Q40-A
	43	17	.058"	3/8"	64E	R28.5	VH2A-8C43-A	VH2C-8C43-A	VH2T-8Q43-A	VH2U-8Q43-A	VH2L-8Q43-A	VH2M-8Q43-A
45	18	.058"	3/8"	68E	R28.5	VH2A-8C45-A	VH2C-8C45-A	VH2T-8Q45-A	VH2U-8Q45-A	VH2L-8Q45-A	VH2M-8Q45-A	
P61,65,77 160,162,180 181,260,266 280,285,362 372,385,394 1100,394,281	43	17	.058"	3/8"	64E	R28.5	VT3A-8C43-A	VT3C-8C43-A				
	45	18	.058"	3/8"	68E	R28.5	VT3A-8C45-A	VT3C-8C45-A				
	40	16	.058"	3/8"	60E	R33	VT3A-8D40-A	VT3C-8D40-A	VT3T-8Q40-A	VT3U-8Q40-A	VT2L-8Q40-A	VT2M-8Q40-A
	43	17	.058"	3/8"	64E	R33	VT3A-8D43-A	VT3C-8D43-A	VT3T-8Q43-A	VT3U-8Q43-A	VT2L-8Q43-A	VT2M-8Q43-A
	45	18	.058"	3/8"	68E	R33	VT3A-8D45-A	VT3C-8D45-A	VT3T-8Q45-A	VT3U-8Q45-A	VT2L-8Q45-A	VT2M-8Q45-A
	50	20	.058"	3/8"	72E	R33	VT3A-8D50-A	VT3C-8D50-A	VT3T-8Q50-A	VT3U-8Q50-A	VT2L-8Q50-A	VT2M-8Q50-A
	55	22	.058"	3/8"	76E	R33	VT3A-8D55-A	VT3C-8D55-A	VT3T-8Q55-A	VT3U-8Q55-A		
	61	24	.058"	3/8"	82E	R33	VT3A-8D61-A	VT3C-8D61-A	VT3T-8Q61-A	VT3U-8Q61-A		
70	28	.058"	3/8"	92E	R33	VT3A-8D70-A		VT3T-8Q70-A				

ECHO(KIORITZ)

CHAIN SAW MODEL							Guide Bar Part Number					
	CM	Inch	Gauge	Pitch	DL	Tip Feature	Hard Tip		Star Tip		Tough Tip	
							Standard	Light	Standard	Light	Standard	Light
CS3400,3500 CS3600,3700	41	16	.050"	1/4"	86E	R20	BL1A-0A41-A	BL1C-0A41-A			BL1L-0G41-A	BL1M-0G41-A
	38	16	.050"	3/8"LP	56E						BL1L-0L38-A	BL1M-0L38-A
	39	16	.050"	3/8"LP	57E						BL1L-0L39-A	BL1M-0L39-A
	40	16	.050"	3/8"LP	58E	R24.5	BL1A-0B40-A	BL1C-0B40-A			BL1L-0L40-A	BL1M-0L40-A
CSV3900,4000 4400,395,5001	37	15	.058"	.325"	64E	R24.5	BM3A-8B37-A	BM3C-8B37-A	BM3T-8J37-A	BM3U-8J37-A	BM2L-8J37-A	BM2M-8J37-A
	40	16	.058"	.325"	66E	R27	BM3A-8C40-A	BM3C-8C40-A	BM3T-8J40-A	BM3U-8J40-A	BM2L-8J40-A	BM2M-8J40-A
	42	17	.058"	.325"	68E	R27	BM3A-8C42-A	BM3C-8C42-A	BM3T-8J42-A	BM3U-8J42-A	BM2L-8J40-A	BM2M-8J40-A
	45	18	.058"	.325"	72E	R27	BX3A-8C45-A	BX3C-8C45-A	BX3T-8J45-A	BX3U-8J45-A	BM2L-8J45-A	BM2M-8J45-A
	50	20	.058"	.325"	80E	R27	BX3A-8C50-A	BX3C-8C50-A	BX3T-8J50-A	BX3U-8J50-A	BM2L-8J50-A	BM2M-8J50-A
	55	22	.058"	.325"	84E	R27	BX3A-8C55-A	BX3C-8C55-A	BX3T-8J55-A	BX3U-8J55-A		
CS6701,5501	40	16	.058"	3/8"	60E	R27.5	XT2A-8C40-A	XT2C-8C40-A	XT2T-8Q40-A	XT2U-8Q40-A	XT2L-8Q40-A	XT2M-8Q40-A
	45	18	.058"	3/8"	66E	R27.5	XT2A-8C45-A	XT2C-8C45-A	XT2T-8Q45-A	XT2U-8Q45-A	XT2L-8Q45-A	XT2M-8Q45-A
	50	20	.058"	3/8"	70E	R27.5	XT2A-8C50-A	XT2C-8C50-A	XT2T-8Q50-A	XT2U-8Q50-A	XT2L-8Q50-A	XT2M-8Q50-A
	61	24	.058"	3/8"	84E	R27.5	XT2A-8C61-A	XT2C-8C61-A	XT2T-8Q61-A	XT2U-8Q61-A	XT2L-8Q61-A	

Shindaiwa

CHAIN SAW MODEL	Guide Bar Part Number											
	CM	Inch	Gauge	Pitch	DL	Tip Feature	Hard Tip		Star Tip		Tough Tip	
							Standard	Light	Standard	Light	Standard	Light
E270	25	10	.050"	1/4"	60E	CV R10		UL6C-0Z25-A				EM1M-0V25-A
E300,305,340	30	12	.050"	1/4"	68E	CV R10	UL6A-0Z30-A	UL6C-0Z30-A			BL1L-0G30-A	BL1M-0G30-A
E345,346,350	30	12	.050"	1/4"	68E	CV R10	BM2A-0Z30-A	BM2C-0Z30-A				
E352,355,360	35	14	.050"	1/4"	76E	CV R10	BM2A-0Z35-A	BM2C-0Z35-A				
E361,380,381	41	16	.050"	1/4"	86E	CV R10	BM2A-0Z41-A	BM2C-0Z41-A				
E352,355,360	30	12	.050"	1/4"	68E	CV R12	BM2A-0Y30-A	BM2C-0Y30-A				
	35	14	.050"	1/4"	76E	CV R12	BM2A-0Y35-A	BM2C-0Y35-A				
	41	16	.050"	1/4"	86E	CV R12	BM2A-0Y41-A	BM2C-0Y41-A				
	30	12	.050"	1/4"	68E	Can R15	BM2A-0R30-A	BM2C-0R30-A				
	35	14	.050"	1/4"	76E	Can R15	BM2A-0R35-A	BM2C-0R35-A				
	41	16	.050"	1/4"	86E	Can R15	BM2A-0R41-A	BM2C-0R41-A				
	35	14	.050"	1/4"	76E	R18	BL1A-0T35-A	BL1C-0T35-A				
	41	16	.050"	1/4"	86E	R18	BL1A-0T41-A	BL1C-0T41-A				
	35	14	.050"	1/4"	76E	R20	BL1A-0A35-A	BL1C-0A35-A			BL1L-0G35-A	BL1M-0G35-A
	40	16	.050"	1/4"	84E	R20	BL1A-0A40-A	BL1C-0A40-A			BL1L-0G40-A	BL1M-0G40-A
	30	12	.050"	3/8"LP	47E						BL1L-0L30-A	BL1M-0L30-A
	35	14	.050"	3/8"LP	53E	R24.5	BL1A-0B35-A	BL1C-0B35-A			BL1L-0L35-A	BL1M-0L35-A
	38	16	.050"	3/8"LP	56E						BL1L-0L38-A	BL1M-0L38-A
	39	16	.050"	3/8"LP	57E						BL1L-0L39-A	BL1M-0L39-A
	40	16	.050"	3/8"LP	58E	R24.5	BL1A-0B40-A	BL1C-0B40-A			BL1L-0L40-A	BL1M-0L40-A
	E400,440,488 E1048	42	17	.058"	.325"	68E	R27	BQ4A-8C42-A	BQ4C-8C42-A	BQ4T-8J42-A	BQ4U-8J42-A	
45		18	.058"	.325"	72E	R27	BQ4A-8C45-A	BQ4C-8C45-A	BQ4T-8J45-A	BQ4U-8J45-A		
47		19	.058"	.325"	76E	R27	BQ4A-8C47-A	BQ4C-8C47-A	BQ4T-8J47-A	BQ4U-8J47-A		
50		21	.058"	.325"	80E	R27	BQ4A-8C50-A	BQ4C-8C50-A	BQ4T-8J50-A	BQ4U-8J50-A		
53		21	.058"	.325"	84E	R27	BQ4A-8C53-A	BQ4C-8C53-A	BQ4T-8J53-A	BQ4U-8J53-A		
E580,685,757	43	17	.058"	3/8"	64E	R28.5	VT3A-8C43-A	VT3C-8C43-A				
	45	18	.058"	3/8"	68E	R28.5	VT3A-8C45-A	VT3C-8C45-A				
	40	16	.058"	3/8"	60E	R33	VT3A-8D40-A	VT3C-8D40-A	VT3T-8Q40-A	VT3U-8Q40-A	VT2L-8Q40-A	VT2M-8Q40-A
	43	17	.058"	3/8"	64E	R33	VT3A-8D43-A	VT3C-8D43-A	VT3T-8Q43-A	VT3U-8Q43-A	VT2L-8Q43-A	VT2M-8Q43-A
	45	18	.058"	3/8"	68E	R33	VT3A-8D45-A	VT3C-8D45-A	VT3T-8Q45-A	VT3U-8Q45-A	VT2L-8Q45-A	VT2M-8Q45-A
	50	20	.058"	3/8"	72E	R33	VT3A-8D50-A	VT3C-8D50-A	VT3T-8Q50-A	VT3U-8Q50-A	VT2L-8Q50-A	VT2M-8Q50-A
	55	22	.058"	3/8"	76E	R33	VT3A-8D55-A	VT3C-8D55-A	VT3T-8Q55-A	VT3U-8Q55-A		
61	24	.058"	3/8"	82E	R33	VT3A-8D61-A	VT3C-8D61-A	VT3T-8Q61-A	VT3U-8Q61-A			

Tanaka

CHAIN SAW MODEL	CM Inch Gauge Pitch DL Tip Feature						Guide Bar Part Number					
							Hard Tip		Star Tip		Tough Tip	
							Standard	Light	Standard	Light	Standard	Light
ECS415,4000 ECV4501	37	15	.058"	.325"	64E	R24.5	BM3A-8B37-A	BM3C-8B37-A	BM3T-8J37-A	BM3U-8J37-A	BM2L-8J37-A	BM2M-8J37-A
	40	16	.058"	.325"	66E	R27	BM3A-8C40-A	BM3C-8C40-A	BM3T-8J40-A	BM3U-8J40-A	BM2L-8J40-A	BM2M-8J40-A
	42	17	.058"	.325"	68E	R27	BM3A-8C42-A	BM3C-8C42-A	BM3T-8J42-A	BM3U-8J42-A	BM2L-8J40-A	BM2M-8J40-A
	45	18	.058"	.325"	72E	R27	BX3A-8C45-A	BX3C-8C45-A	BX3T-8J45-A	BX3U-8J45-A	BM2L-8J45-A	BM2M-8J45-A
	50	20	.058"	.325"	80E	R27	BX3A-8C50-A	BX3C-8C50-A	BX3T-8J50-A	BX3U-8J50-A	BM2L-8J50-A	BM2M-8J50-A
	55	22	.058"	.325"	84E	R27	BX3A-8C55-A	BX3C-8C55-A	BX3T-8J55-A	BX3U-8J55-A		
ECS505,506 ECS650	40	16	.058"	3/8"	60E	R27.5	XT2A-8C40-A	XT2C-8C40-A	XT2T-8Q40-A	XT2U-8Q40-A	XT2L-8Q40-A	
	45	18	.058"	3/8"	66E	R27.5	XT2A-8C45-A	XT2C-8C45-A	XT2T-8Q45-A	XT2U-8Q45-A	XT2L-8Q45-A	
	50	20	.058"	3/8"	70E	R27.5	XT2A-8C50-A	XT2C-8C50-A	XT2T-8Q50-A	XT2U-8Q50-A	XT2L-8Q50-A	
	61	24	.058"	3/8"	84E	R27.5	XT2A-8C61-A	XT2C-8C61-A	XT2T-8Q61-A	XT2U-8Q61-A	XT2L-8Q61-A	

DOLMAR

CHAIN SAW MODEL	CM Inch Gauge Pitch DL Tip Feature						Guide Bar Part Number					
							Hard Tip		Star Tip		Tough Tip	
							Standard	Light	Standard	Light	Standard	Light
ES152,162	25	10	.050"	1/4"	60E	CV R10		UL6C-0Z25-A				EM1M-0V25-A
PS3300,330	30	12	.050"	1/4"	68E	CV R10	UL6A-0Z30-A	UL6C-0Z30-A				
PS340,341,344	30	12	.050"	1/4"	68E	CV R10	BM2A-0Z30-A	BM2C-0Z30-A				
PS400,401	35	14	.050"	1/4"	76E	CV R10	BM2A-0Z35-A	BM2C-0Z35-A				
100,101,102	41	16	.050"	1/4"	86E	CV R10	BM2A-0Z41-A	BM2C-0Z41-A				
103,104,106	30	12	.050"	1/4"	68E	CV R12	BM2A-0Y30-A	BM2C-0Y30-A				
	35	14	.050"	1/4"	76E	CV R12	BM2A-0Y35-A	BM2C-0Y35-A				
	41	16	.050"	1/4"	86E	CV R12	BM2A-0Y41-A	BM2C-0Y41-A				
	30	12	.050"	1/4"	68E	Can R15	BM2A-0R30-A	BM2C-0R30-A			BL1L-0G30-A	BL1M-0G30-A
	35	14	.050"	1/4"	76E	Can R15	BM2A-0R35-A	BM2C-0R35-A				
	41	16	.050"	1/4"	86E	Can R15	BM2A-0R41-A	BM2C-0R41-A				
	35	14	.050"	1/4"	76E	R18	BL1A-0T35-A	BL1C-0T35-A				
	41	16	.050"	1/4"	86E	R18	BL1A-0T41-A	BL1C-0T41-A				
	35	14	.050"	1/4"	76E	R20	BL1A-0A35-A	BL1C-0A35-A			BL1L-0G35-A	BL1M-0G35-A
	40	16	.050"	1/4"	84E	R20	BL1A-0A40-A	BL1C-0A40-A			BL1L-0G40-A	BL1M-0G40-A
41	16	.050"	1/4"	86E	R20	BL1A-0A41-A	BL1C-0A41-A			BL1L-0G41-A	BL1M-0G41-A	

DOLMAR

CHAIN SAW							Guide Bar Part Number						
							Hard Tip		Star Tip		Tough Tip		
							Standard	Light	Standard	Light	Standard	Light	
MODEL	CM	Inch	Gauge	Pitch	DL	Tip Feature							
ES152,162	28	11	.050"	3/8"LP	45E							BL1L-0L28-A	BL1M-0L28-A
PS3300,330	30	12	.050"	3/8"LP	47E	R24.5	BL1A-0B30-A	BL1C-0B30-A				BL1L-0L30-A	BL1M-0L30-A
PS340,341,344	34	14	.050"	3/8"LP	52E							BL1L-0L34-A	BL1M-0L34-A
PS400,401	35	14	.050"	3/8"LP	53E	R24.5	BL1A-0B35-A	BL1C-0B35-A				BL1L-0L35-A	BL1M-0L35-A
100,101,102	38	16	.050"	3/8"LP	56E							BL1L-0L38-A	BL1M-0L38-A
103,104,106	39	16	.050"	3/8"LP	57E							BL1L-0L39-A	BL1M-0L39-A
	40	16	.050"	3/8"LP	58E	R24.5	BL1A-0B40-A	BL1C-0B40-A				BL1L-0L40-A	BL1M-0L40-A
105,108,109	37	15	.058"	.325"	64E	R24.5	BM3A-8B37-A	BM3C-8B37-A	BM3T-8J37-A	BM3U-8J37-A		BM2L-8J37-A	BM2M-8J37-A
110,116	40	16	.058"	.325"	66E	R27	BM3A-8C40-A	BM3C-8C40-A	BM3T-8J40-A	BM3U-8J40-A		BM2L-8J40-A	BM2M-8J40-A
ES1800	42	17	.058"	.325"	68E	R27	BM3A-8C42-A	BM3C-8C42-A	BM3T-8J42-A	BM3U-8J42-A		BM2L-8J40-A	BM2M-8J40-A
	45	18	.058"	.325"	72E	R27	BX3A-8C45-A	BX3C-8C45-A	BX3T-8J45-A	BX3U-8J45-A		BM2L-8J45-A	BM2M-8J45-A
	50	20	.058"	.325"	80E	R27	BX3A-8C50-A	BX3C-8C50-A	BX3T-8J50-A	BX3U-8J50-A		BM2L-8J50-A	BM2M-8J50-A
	55	22	.058"	.325"	84E	R27	BX3A-8C55-A	BX3C-8C55-A	BX3T-8J55-A	BX3U-8J55-A			
109,110,111	38	15	.058"	3/8"	56E					DT4T-8Q38-A	DT4U-8Q38-A	DT2L-8Q38-A	
115,116,117	40	16	.058"	3/8"	60E	R28.5	DT4A-8C40-A	DT4C-8C40-A					
119,120,219	45	18	.058"	3/8"	64E	R28.5	DT4A-8C45-A	DT4C-8C45-A	DT4T-8Q45-A	DT4U-8Q45-A		DT2L-8Q45-A	DT2M-8Q45-A
PS6000,6800	51	20	.058"	3/8"	72E	R28.5	DT4A-8C51-A	DT4C-8C51-A					
PS540	59	23	.058"	3/8"	80E	R28.5	DT4A-8C59-A	DT4C-8C59-A	DT4T-8Q59-A	DT4U-8Q59-A			
	63	25	.058"	3/8"	84E	R28.5	DT4A-8C63-A	DT4C-8C63-A					
122,123,143	62	25	.058"	3/8"	84E	R34	DR2A-8D62-A			DR2T-8Q62-A			
PS9000,9010	69	28	.058"	3/8"	92E	R34	DR2A-8D69-A			DR2T-8Q69-A			
	83	33	.058"	3/8"	110E	R34	DR2A-8D83-A			DR2T-8Q83-A			
	90	36	.058"	3/8"	121E	R34	DR2A-8D90-A			DR2T-8Q90-A			