

# The details of TIP

## Solid Hard Nose


**X : Tip Radius 9mm - 9.5mm**




**Z : Tip Radius 10mm - 11.5mm**




**Y : Tip Radius 12mm - 14.5mm**



**R : Tip Radius 15mm - 17.5mm**




**T : Tip Radius 18mm - 18.5mm**



**A : Tip Radius 19mm - 21mm**






**B : Tip Radius 21.5mm - 26mm**




**C : Tip Radius 26.5mm - 30mm**




**D : Tip Radius 30.5mm - 35mm**

**E : Tip Radius  
Over 35mm**



## Replaceable Sprocket nose

**T7: Tip Radius**  
13.3mm




Pitch - tooth , Gauge	P/N of Replaceable Sprocket nose kit
1/4" - 8T, .050"	T7-0I

These two numbers equal to these two numbers


P/N of Guide bar	BM2T-0I30-A
------------------	-------------

**T9: Tip Radius**  
21.0mm




Pitch - tooth , Gauge	P/N of Replaceable Sprocket nose kit
1/4" - 12T, .050"	T9-0F
LP3/8" - 8T, .050"	T9-0N

**T5: Tip Radius**  
23.0mm




Pitch - tooth , Gauge	P/N of Replaceable Sprocket nose kit
LP3/8" - 9T, .050"	T5-0L
.325" - 10T, .050"	T5-0HP (for 95VP saw chain)

**T3: Tip Radius  
25.3mm**



Pitch - tooth , Gauge	P/N of Replaceable Sprocket nose kit
.325" - 11T, .050"	T3-0J
.325" - 11T, .050"	T3-0JP (for 95VP saw chain)
.325" - 11T, .058"	T3-8J
.325" - 11T, .063"	T3-3J

**T2: Tip Radius  
28.4mm**



Pitch - tooth , Gauge	P/N of Replaceable Sprocket nose kit
3/8" - 11T, .050"	T2-0Q
3/8" - 11T, .058"	T2-8Q
3/8" - 11T, .063"	T2-3Q
.404" - 10T, .063"	T2-3S


# Replaceable Hard nose

## U7 : Tip Radius 13.3mm

Gauge	P/N of Replaceable Hard nose kit
050"	U7-0Y


These two numbers equal to these two numbers

P/N of Guide bar	BM2T-0Y30-A
------------------	-------------




## U6 : Tip Radius 17mm

Gauge	P/N of Replaceable Hard nose kit
050"	U6-0R




## U5 : Tip Radius 23.0mm

Gauge	P/N of Replaceable Hard nose kit
050"	U5-0B
058"	U5-8B
063"	U5-3B




## U3 : Tip Radius 25.3mm

Gauge	P/N of Replaceable Hard nose kit
050"	U3-0B
058"	U3-8B
063"	U3-3B




**U2 : Tip Radius  
28.4mm**



Gauge	P/N of Replaceable Hard nose kit
050"	U2-0C
058"	U2-8C
063"	U2-3C

**U1 : Tip Radius  
35mm**



Gauge	P/N of Replaceable Hard nose kit
050"	U1-0D
058"	U1-8D
063"	U1-3D